EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	(I2C near1 bus) same latch same switch	US-PGPUB; USPAT; EPO	OR	ON	2007/06/08 17:52
L2	36	(I2C near1 bus) same latch	US-PGPUB; USPAT; EPO	OR	ON	2007/06/08 17:53
L3	30	((shelf blade) near2 server) same (remote$5 near3 (control$5 eject$5 unfasten$5 releas$5 open$5))	US-PGPUB; USPAT; EPO	OR	ON	2007/06/08 18:02
L4	10	3 and @ad<"20030821"	US-PGPUB; USPAT; EPO	OR	ON	2007/06/08 17:58
L5	1749	((shelf blade) near2 server)	US-PGPUB; USPAT; EPO	OR	ON	2007/06/08 17:57
L6	516	5 same switch	US-PGPUB; USPAT; EPO	OR	ON	2007/06/08 17:58
L7	7	6.ti.	US-PGPUB; USPAT; EPO	OR	ON	2007/06/08 17:59
L8	52	6.ab.	US-PGPUB; USPAT; EPO	OR	ON	2007/06/08 17:58
L9	24	8 and @ad<"20030821"	US-PGPUB; USPAT; EPO	OR	ON	2007/06/08 18:12
L10	1	7 and @ad<"20030821"	US-PGPUB; USPAT; EPO	OR	ON	2007/06/08 17:58
L11	92	5.ti.	US-PGPUB; USPAT; EPO	OR	ON	2007/06/08 18:00
L12	256	5.ab.	US-PGPUB; USPAT; EPO	OR	ON	2007/06/08 18:00
L13	40	11 and @ad<"20030821"	US-PGPUB; USPAT; EPO	OR	ON	2007/06/08 18:00
L14	124	12 and @ad<"20030821"	US-PGPUB; USPAT; EPO	OR	ON	2007/06/08 18:00

L15	35	((shelf blade) near2 server) same (remote$5 near3 (detect$5 identif$5 control$5 eject$5 unfasten$5 releas$5 open$5))	US-PGPUB; USPAT; EPO	OR	ON	2007/06/08 18:03
L16	35	((shelf blade) near2 server) same (remote$5 near3 (detect$5 identif$5 control$5 eject$5 unfasten$5 releas$5 open$5 unlock$5))	US-PGPUB; USPAT; EPO	OR	ON	2007/06/08 18:03
L17	12	16 and @ad<"20030821"	US-PGPUB; USPAT; EPO	OR	ON	2007/06/08 18:08
L18	905	remote$5 with (turn$5off LED$5 status$5 off$5 turn$5) with (shelf blade)	US-PGPUB; USPAT; EPO	OR	ON	2007/06/08 18:11
L19	28	remote$5 with (turn$5off LED$5 status$5 off$5 turn$5) with ((shelf blade) near2 server)	US-PGPUB; USPAT; EPO	OR	ON	2007/06/08 18:12
L20	9	19 and @ad<"20030821"	US-PGPUB; USPAT; EPO	OR	ON	2007/06/08 18:17
L21	2715	709/220.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2007/06/08 18:15
L22	6001	709/223.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2007/06/08 18:15
L23	6292	709/224.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2007/06/08 18:16
L24	5082	709/217.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2007/06/08 18:16
L25	20	5 and 21	US-PGPUB; USPAT; EPO	OR	ON	2007/06/08 18:17
L26	81	5 and 22	US-PGPUB; USPAT; EPO	OR	ON	2007/06/08 18:17
L27	38	5 and 23	US-PGPUB; USPAT; EPO	OR	ON	2007/06/08 18:17
L28	29	5 and 24	US-PGPUB; USPAT; EPO	OR	ON	2007/06/08 18:17
L29	14	25 and @ad<"20030821"	US-PGPUB; USPAT; EPO	OR	ON	2007/06/08 18:17

L30	45	26 and @ad<"20030821"	US-PGPUB; USPAT; EPO	OR	ON	2007/06/08 18:17
L31	22	27 and @ad<"20030821"	US-PGPUB; USPAT; EPO	OR	ON	2007/06/08 18:17
L32	16	28 and @ad<"20030821"	US-PGPUB; USPAT; EPO	OR	ON	2007/06/08 18:17

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	608	(@ad<"200030821" or @rlad<"20030831") and (eject$4 or releas$4 or un$1lock$4 or un$1fast$4 or un$1latch$4) same ((detect$4 or fail$4 or error$4) near5 blad$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/08 10:41
L3	299	(@ad<"200030821" or @rlad<"20030831") and (eject$4 or releas$4 or un$1lock$4 or un$1fast$4 or un$1latch$4) with ((detect$4 or fail$4 or error$4) near5 blad$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/08 10:39
L4	0	(@ad<"200030821" or @rlad<"20030831") and (eject$4 or releas$4 or un$1lock$4 or un$1fast$4 or un$1latch$4) with ((detect$4 or fail$4 or error$4) near5 (blad$2 adj5 server$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/08 10:39
L5	197	(@ad<"200030821" or @rlad<"20030831") and (eject$4 or releas$4 or un$1lock$4 or un$1fast$4 or un$1latch$4) near6 ((detect$4 or fail$4 or error$4) near5 blad$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/08 10:40
L6	130	(@ad<"200030821" or @rlad<"20030831") and (eject$4 or releas$4 or un$1lock$4 or un$1fast$4 or un$1latch$4) near6 ((detect$4 or fail$4 or error$4) near3 blad$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/08 10:40
L7	0	(@ad<"200030821" or @rlad<"20030831") and (eject$4 or releas$4 or un$1lock$4 or un$1fast$4 or un$1latch$4) near6 ((detect$4 or fail$4 or error$4) near3 blad$2) and server$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/08 10:40
L8	1	(@ad<"200030821" or @rlad<"20030831") and (eject$4 or releas$4 or un$1lock$4 or un$1fast$4 or un$1latch$4) same ((detect$4 or fail$4 or error$4) near5 (blad$2 adj4 server$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/08 10:42